

# **TEST REPORT**



LAB LOCATION: TURKEY LAB NO.: 593897(REV)(TR) **SERVICE TYPE: Regular DATE IN: June 17th, 2010** DATE OUT: June 22<sup>nd</sup>, 2010 REV.DATE: July 02<sup>nd</sup>, 2010

**NUMBER OF WORKING DAYS: 4.0** 

MATERIAL SUBMITTED : RENK YOLU KIMYA SAN. ve TIC. LTD.

(Attn: Aynur Suleymanoglu)

: / **BUYER** 

: HPW 510-515 Crackle White/Base SUPPLIER REFERENCE

SAMPLE DESCRIPTION : Raw Fabric W/Print

> (Claimed Fiber Content: /) (Claimed Fabric Weight: /)

**COLOUR** : Print: White

**SUBMITTED CARE** : /

**INSTRUCTION** 

**REASON FOR REVISION** : Supplier reference has been changed upon vendor's request.

### SUMMARY OF TEST RESULTS

| TEST REQUIRED                        | PASS | FAIL |                      |  |
|--------------------------------------|------|------|----------------------|--|
| APEO                                 |      |      | See Result in Page 2 |  |
| Formaldehyde*                        |      |      | See Result in Page 2 |  |
| PVC                                  |      |      | See Result in Page 2 |  |
| Phthalates*                          |      |      | See Result in Page 2 |  |
| Total Metal (Lead, Mercury, Cadmium) |      |      | See Result in Page 2 |  |
| * UKAS Accredited- See Appendix A    |      |      |                      |  |

**Remark 1:** The test methods used are based on vendor's submitted test methods. Bureau Veritas Consumer Products Services (Turkey) Ltd.

Gulderen Zabun **Key Account Manager** 

C/N AB/GK

BV CPS TEST LABORATUVARLARI LTD. STI. BUREAU VERITAS CONSUMER PRODUCTS SERVICES Mehmet Akif Mah. Basin Ekspres Cad. Can Sokak No: 31/3 İkitelli 34306 Istanbul TURKEY

Tel:+90.212.494 35 35 Fax:+90.212.494 35 60

email:info.turkey@bvcps.com.tr website: www.bureauveritas.com/cps

GET OF 3

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report a http://www.bureauverlas.com/cps and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted.

Our report includes all the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from the date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents



#### **REMARK:**

\*= The reported expanded uncertainty is based on the standard uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95%. Unless otherwise is specified, the uncertainty of measurement has not been taken into account when assessing pass/fail of the sample against the requirements of the standard. In case consideration of measurement uncertainties when assessing pass/ fail limits, some results may be in borderline. Information on uncertainty is contained in appendix A on this report

| Parameter* [unit]                            | Standard / Method   | Limits | Result   |
|--|---|--------|----------|
| Nonylphenolethoxylates<br>,<br>NPEO(mg/kg)   | Textiles/leather: Methanol extraction followed by LC-MS; Plastics/prints: THF/ACN extraction followed by LC-MS; Detection limit: 50 mg/kg | /      | n.d.     |
| Octylphenolethoxylates,<br>OPEO (mg/kg)      | Textiles/leather: Methanol extraction followed by LC-MS; Plastics/prints: THF/ACN extraction followed by LC-MS; Detection limit: 50 mg/kg | /      | n.d.     |
| Formaldehyde [mg/kg]-                        | ISO 14184-1; Acetylaceton method / similar to Japanese method Law 112; reporting limit: 16 mg/kg  | /      | <16      |
| PVC  | Burning test by Beilsteins test   | /      | No PVC   |
| Total content of o-phthalatic esters [mg/kg] | BVCPS inhouse method / extraction with THF/ACN followed by GC-MS or LC-MS analysis.   | /      | DIBP: 51 |
| Pb (ppm)                                     | Total metal content by microware digestion with HNO <sub>3</sub> / H <sub>2</sub> O <sub>2</sub> and ICP-MS analysis                      | /      | <10      |
| Cadmium                                      | Total metal content by microware digestion with HNO <sub>3</sub> / H <sub>2</sub> O <sub>2</sub> and ICP-MS analysis                      | /      | <10      |
| Mercury                                      | Total metal content by microware digestion with HNO <sub>3</sub> / H <sub>2</sub> O <sub>2</sub> and ICP-MS analysis                      | /      | <0.5     |

n.d.: Not Detected



## \*List of tested compounds

Total content of o-phthalatic esters

| Name                      | CAS-Nr.                       |
|---------------------------|-------------------------------|
| Dimethylphthalat          | [131-11-3]                    |
| Diethylphthalat           | [84-66-2]                     |
| Dipropylphthalat          | [131-16-8]                    |
| Di-iso-butylphthalat      | [84-69-5]                     |
| Di-n-butylphthalat        | [84-74-2]                     |
| Dipentylphthalat          | [131-18-0]                    |
| Dihexylphthalat           | [84-75-39]                    |
| Benzylbutylphthalat       | [85-68-7]                     |
| Dicyclohexylphthalat      | [84-61-7]                     |
| Dinonylphthalat           | [84-76-4]                     |
| Di-(2-ethylhexyl)phthalat | [117-81-7]                    |
| Di-n-octylphthalat        | [117-84-0]                    |
| Diisooctylphthalat        | [27554-26-3]                  |
| Diisononylphthalat        | [28553-12-0] und[ 68515-48-0] |
| Diisodecylphthalat        | [26761-40-0] und [68515-49-1] |

| TEST NAME    | STANDARD NAME          | MEASUREMENT UNCERTAINTY |
|--------------|------------------------|-------------------------|
| Phthalates   | In-house test method   | ±0.14 x result          |
|              | CPSD-AN-00095-MTHD     |                         |
| Formaldehyde | BS EN ISO 14184-1:1999 | ± %8                    |

## **END OF REPORT**

C/N AB/GK PAGE 3 OF 3